

POWER SOURCE



Gasoline generator

GE35006

€ 480.00

Rated voltage(V):220-240
Rated frequency(Hz):50
Max.output(kW):3.5
Rated output(kW):2.8
Rated speed(rpm):3000
Engine:4 stroke,OHV
Displacement(mL):208
Cooling system:Air-cooled
Ignition system:T.C.I
Starting system:Recoil
Copper coil alternator
Fuel tank(L):15
Dry weight(kg):42
Packed by carton box



Unit	Qty/Pack	Barcode
PCS		6925582113518

Gasoline generator

GE65006

€ 885.00

Rated voltage(V):220-240
Rated frequency(Hz):50
Max.output(kW):6.5
Rated output(kW):5.0
Rated speed(rpm):3000
Engine:4 stroke,OHV
Displacement(mL):420
Cooling system:Air-cooled
Ignition system:T.C.I
Starting system:Recoil+Electric
Copper coil alternator
Fuel tank(L):25
Dry weight(kg):79
With 1 set auxiliary handle and wheels
Packed by carton box



Unit	Qty/Pack	Barcode
PCS		6925582113532

Gasoline water pump

GWP302

€ 275.00

Suction&Discharge port diameter:80mm,3"
Max.flow:1000L/min
Max.head lift:32m
Max.suction head:8m
7.0HP gasoline engine
Displacement:208cc
Fuel tank:3.6L
Starting system:Recoil
Packed by carton box



Unit	Qty/Pack	Barcode
PCS		6925582100402

Automatic pump control

WAPS001

€ 35.00

Rated voltage:220-240V
Frequency:50/60Hz
Starting pressure:1.5bar
Maximum power allowed: 1100W
Max.current:10A
Max.pressure:10bar
Pipe diameter:1"x1"
Protection degree:IP65
Packed by color box



Unit	Qty/Pack	Barcode
PCS		6928073606803

Sewage submersible pump

SPD7508

€ 85.00

Voltage:220V-240~50Hz
Rated power:750W(1.0HP)
Max.head:8m
Max.flow:217L/min
Max.depth:7m
Pipe diameter:1"
Copper wire motor
9m length cable
With float switch
For dirty water
Packed by carton box



Unit	Qty/Pack	Barcode
PCS		6941640169266

Sewage submersible pump

SPD10001

€ 120.00

Voltage:220V-240~50Hz
Rated power:1000W
Max.head:9m
Max. flow:333L/min
Max.depth:7m
Pipe diameter:2"
Copper wire motor
9m length cable
With float switch
For dirty water
Packed by carton box



Unit	Qty/Pack	Barcode
PCS		6925582143461

Inverter MMA welding machine

ING-MMA12049E

€ 125.00

IGBT inverter technology
Input voltage: 1~220-240V
Frequency: 50/60Hz
Output current: 15-120A
Duty cycle:120A@15%
LED display
No-load voltage: 87V
Max.output current: 120A
Diameter of electrode: 1.6-3.2mm
Anti-stick/Hot start/Arc-force
1 Pcs electrode holder with cable
1 Pcs earth clamp with cable
1 Pcs wire brush
1 Pcs helmet
1 Pcs portable strap
Packed by color box



Unit	Qty/Pack	Barcode
PCS		6976051786030

Inverter MMA welding machine

ING-MMA20069E

€ 199.00

IGBT inverter technology
Input voltage: 1~230V
Frequency: 50-60Hz
Output current: 15-200A
Duty cycle: 200A@40%
LED display
No-load voltage: 88V
Max.output current: 200A
Diameter of electrode: 1.6-4.0mm
Anti-stick/Hot start/Arc-force
1 Pcs electrode holder with cable
1 Pcs earth clamp with cable
1 Pcs wire brush
1 Pcs helmet
Packed by color box



Unit	Qty/Pack	Barcode
PCS		6942141805394

Flux-cored wire

EWSFC081001 € 17.00

Flux-cored welding wire
Model number: E71T-GS
Diameter: 0.8mm
Weight: 1kg/spool, 20kg/carton box
Material: Carbon steel
Flux-cored wire for item
ING-MGT16058, ING-UMGT16058,
ING-MGT20058, ING-UMGT20058
ING-UFC13018 and ING-FC13018.
Advantage: Less spatter, stable arc,
easy slag removal, good bead
appearance.
Application: Welding carbon steel
structure
Vacuum packed
Packed by color box



Unit	Qty/Pack	Barcode
PCS		6941640181190

Magnetic welding holder

AMWH25031 € 4.00

Magnetic Welding Holder
Pull Force: 25 Lbs
Specifications: 3"
Product Dimensions: 120*83*14.4mm
Weight: 304g
Angles: 45°, 90°, 135°
Material: Magnet and Steel
Packed by double blister



Unit	Qty/Pack	Barcode
PCS	6	6925582138436

Magnetic welding holder

AMWH75051 € 12.00

Magnetic Welding Holder
Pull Force: 75 Lbs
Specifications: 5"
Product Dimensions:
189.5*122.2*25.4mm
Weight: 1041g
Angles: 45°, 90°, 135°
Material: Magnet and Steel
Packed by double blister



Unit	Qty/Pack	Barcode
PCS	6	6925582138412

Battery charger

ING-CB1601 € 80.00

Input voltage(V):1~220-240
Frequency(Hz):50/60
Charging voltage(V):12/24
Rated current(A):9/4
Boost current(A):12
Reference capacity(Ah):28-180
Insulation class:H
Weight(kg):5.6
Packed by carton box



Unit	Qty/Pack	Barcode
PCS		6928073600931

Battery charger

ING-CD2201 € 220.00

Input voltage(V):1~220-240
Frequency(Hz):50/60
Charging voltage(V):12/24
Rated current(A):16/18
Boost current(A):20
Reference capacity(Ah):70-300
Insulation class:H
Normal charge, quick charge and quick
starting function
Weight(kg):15
Packed by carton box



Unit	Qty/Pack	Barcode
PCS		6928073603413

Auto air compressor

AAC1408 € 35.00

Voltage:12V
Current:10A
Max pressure:140PSI/10BAR
Max air flow:35L/min
Integrated work light
With 1pcs 3m cord with cigarette lighter
With 1pcs battery clips
With 4pcs adapters
Packed by color box



Unit	Qty/Pack	Barcode
PCS		6925582128642

Auto air compressor

AAC2508 € 60.00

Voltage:12V
Current:18A
Max pressure: 120
PSI/8.27BAR/827KPA
Max air flow:45L/min
Duplex cylinder
Integrated work light
With 1pcs battery clips
With 4pcs adapters
With 1pcs 3m air hose with a brass
quick-releasing adapter
With 1pcs canvas bag
Packed by color box



Unit	Qty/Pack	Barcode
PCS		6925582125672

Booster cable

HBTCP2001 € 10.00

Current: 200AMP
Clamp size: 15.6x9.1cm
Suitable for emission ≤1.8L car
Cable material: copper coated
aluminum
Cable outside diameter: 8mm
Cable length: 2.5m
Packed by color box



Unit	Qty/Pack	Barcode
SET		6928073608241

5 Pcs air tools set

AKT0053

€ 39.00

Air tools 5pcs set
Only with Europe type connector.
Recoil hose
Length:4m,Diameter:8mm
Air blow gun
Nozzle length:16mm
Air spray gun
Operating pressure:3-4bar
Paint capacity:600cc
Pattern width:180-250mm
Air washing gun
Operation pressure:4bar
Washing capacity:750cc
Air tire inflating gun
Max pressure:12Bar
Packed by color box



Unit	Qty/Pack	Barcode
SET		6941640129802

Air spray gun

ASG1065

€ 85.00

TOP GRADE SPRAY GUN
Standard nozzle:1.3mm
Pattern width:180-260mm
Paint capacity:600cc
Suitable for finishing coat,Professional for spray car.
With Europe type connector, USA type connector, Nitto type connector and Italy type connector.
Operating pressure:2.0bar
Air cons:5-9cfm(141-253l/min)
Packed by color box



Unit	Qty/Pack	Barcode
PCS		6925582128505

Air blow gun

ABG031

€ 4.50

Nozzle length:16mm
Only with Europe type connector.
Packed by sliding card



Unit	Qty/Pack	Barcode
PCS	25	6928073600597

Air impact wrench

AIW12562

€ 80.00

Without quick plug
Square drive:12.5mm(1/2")
No-load speed:7000/min
Max.torque:610Nm(450Ft-lb)
Weight: 2.6KG
Twin hammer mechanism
With 3 pcs socket (17mm,19mm,21mm)
With Europe type connector, USA type connector, Nitto type connector and Italy type connector.
Air Consumption:142.5l/min(5.0cfm)
Air Pressure:6.3bar(90psi)
Length:187mm(7.3")
Weight:2.6kgs(5.7lbs)
Air Inlet:1/4"
Air hose:3/8"
Packed by color box



Unit	Qty/Pack	Barcode
PCS		6925582127010

Air spray gun

ASG1061

€ 27.00

Standard nozzle:1.4mm
Pattern width:180-250mm
Paint capacity:600cc
Suitable for finishing coat
With Europe type connector, USA type connector, Nitto type connector and Italy type connector.
Optional nozzle:1.3-2.5mm
Operating pressure:2-3.5bar
Air cons:4.2-7.1cfm(119-200l/min)
Packed by color box



Unit	Qty/Pack	Barcode
PCS		6928073607206

Air tire inflating gun

ATG0601

€ 15.00

Max pressure:8.5Bar(120PSI)
With Europe type connector, USA type connector, Nitto type connector and Italy type connector.
Packed by sliding card



Unit	Qty/Pack	Barcode
PCS	5	6928073678008

10 Pcs 3/8" DR. Impact socket set

HKISSD38104

€ 19.00

10 Pcs 3/8"DR. Impact socket set
Include:
8 Pcs 3/8"DR. Impact socket:8/10/12/13/14/15/17/19mm
1 Pcs 3/8"(F)&1/2"(M) Impact socket adapter
1 Pcs 1/4" Hex to 3/8" Impact socket adapter
Material:Cr-Mo
Cold extrusion
Heat treatment
Supplied in a convenient storage rail
Packed by double blister



Unit	Qty/Pack	Barcode
SET	5	6942141806599

10 Pcs 1/2" DR. Impact socket set

HKISSD12101

€ 19.00

10 Pcs 1/2"DR. Impact socket set
Drive size:1/2"
Impact socket size:10.12.13.14.15.17.19.21.22.24mm
length:40mm
Material:Cr-Mo
Cold extrusion
Heat treatment
Packed by plastic box



Unit	Qty/Pack	Barcode
SET	6	6925582132601

14 Pcs 1/2"DR. Impact socket set

HKISSD12141 € 35.00

14 Pcs 1/2"DR. Impact socket set
Drive size:1/2"
Impact socket size:10.11.12.13.14.15.16.17.18.19.21.22.24.27mm
Material:Cr-Mo
Cold extrusion
Heat treatment
Packed by plastic box



Unit	Qty/Pack	Barcode
SET		6942141800863

8 Pcs 3/4" DR. Deep impact socket set

HKISSD34082L € 70.00

8 Pcs 3/4"DR. Deep impact socket set
Drive size:3/4"
Deep impact socket size: 26. 27. 29. 30. 32. 35. 36. 38mm
Length: 90mm
Material: Cr-Mo
Cold extrusion
Heat treatment
Packed by plastic box



Unit	Qty/Pack	Barcode
SET		6942141813818

Air stapler

APS06161 € 39.00

Load capacity:100pcs
Stapler size:6-16mm
Crown size:12.8mm
Ga21,0.9x0.7mm
With Europe type connector, USA type connector, Nitto type connector and Italy type connector.
Operation pressure: 0.5-0.7Mpa(75-100Psi)
1000pcs brad nails
Packed by color box



Unit	Qty/Pack	Barcode
PCS		6928073603550

Air impact wrench

AIW341302 € 189.00

Without quick plug
Square drive:19mm(3/4")
No-load speed:4000 rpm
Max.torque:1600Nm(1180ft)
Twin hammer mechanism
With universal connector.
Air Consumption:256l/min(9cfm)
Air Pressure:6.3bar(90psi)
Length:234mm(9.2")
Weight:5.9kgs(13lbs)
Air Inlet:3/8"
Air hose:1/2"
With 1pcs grip
With 1pcs bracket
With 1pcs allen key
With 1pcs connector
With 1pcs oil pot
Packed by color box



Unit	Qty/Pack	Barcode
PCS		6925582127768

Air sander

APS1512 € 68.00

Sanding pad:6"(150mm)
Air Inlet(PT):1/4"
With Europe type connector, USA type connector, Nitto type connector and Italy type connector.
No-load Speed RPM:10500
Air Hose(ID):3/8"
Air Cons:3cfm(84l/min)
Air pressure:90PSI,6.3bar
Packed by color box



Unit	Qty/Pack	Barcode
PCS		6941640164674

Air grease lubricator

AGL02301 € 255.00

Capacity:30L
Drum application:330*430mm
Pressure ratio: 50:1
Working pressure:6-8bar
Max.free flowrate:850g/min
Max.fluid pressure:400bar
Cylinder dia:70mm
Air consumption:250L/min@6.2bar
1/4" inlet and outlet air regulator with water filtering device
Grease hose:5M
Weight:15KG
Packed by carton box



Unit	Qty/Pack	Barcode
PCS		6925582127188

Brad nail




Ingco item No.	Barcode	Size(mm)	PCS/BOX	€
ANA18201	6928073670712	20	5000	6.00
ANA18251	6928073670729	25	5000	6.00
ANA18301	6928073712429	30	5000	7.00
ANA18356	6942141807329	35	6000	10.00
ANA18351	6928073667439	35	5000	8.00
ANA18401	6928073670736	40	5000	9.50
ANA18506	6942141800849	50	6000	13.50
ANA18501	6928073670743	50	5000	12.00

Crown staple




Ingco item No.	Barcode	Size(mm)	PCS/BOX	€
AST18251	6928073667446	25	2500	6.50
AST18351	6928073670699	35	2500	8.80
AST18401	6928073667453	40	2500	10.00
AST18403	6942141805431	40	3000	12.00

Crown staple



Ingco item No.	Barcode	Size(mm)	PCS/BOX	€
AST21102	6941640164308	8	5000	4.50
AST21122	6941640169426	12	5000	5.00

Concrete nail



Ingco item No.	Barcode	Size(mm)	PCS/BOX	€
ANA01181	6925582138368	18	1000	7.00
ANA12018	6942141801891	18	1200	8.00
ANA01251	6925582138351	25	1000	7.00
ANA01321	6925582138344	32	1000	8.50
ANA01381	6925582138337	38	1000	10.00
ANA01501	6925582138320	50	1000	12.50
ANA01641	6925582138313	64	1000	17.00

Air hose

AH1101

€ 13.00

Material:PU
Length:10M
Only with Europe type connector.
Inner diameter: 5mm
External diameter: 8mm
Packed by shrink



Unit	Qty/Pack	Barcode
PCS	5	6928073666227

Gasoline chain saw

GCS5261011

€ 169.00

Displacement: :25.4cc
Rated power: 0.7kW
Engine idle speed: 3300± 300
Max. cutting length: 250mm(10")
Fuel tank capacity: 230ml
Oil tank capacity: 160ml
Powerful air cooled 2-stroke petrol engine
NGK spark plug
Include:
1 Pcs 10" chain (AGSC51001)
1 Pcs 10" chain guide bar (AGSB51001)
Chain Pitch:3/8"
Chain Gauge:0.050"
Drive Links: 40 links
Packed by color box



Unit	Qty/Pack	Barcode
PCS		6941640135353

Saw chain

AGSC51001

€ 15.00

Length: 10"
Chain Pitch:3/8"
Chain Gauge:0.050"
Drive Links: 40 links
Suitable for GCS5261011 gasoline chain saw
Packed by double blister



Unit	Qty/Pack	Barcode
PCS		6941640141491

Chain saw bar

AGSB51001

€ 14.00

Bar Length: 10"
Gauge: 0.050"
Suitable for GCS5261011 gasoline chain saw
Packed by double blister



Unit	Qty/Pack	Barcode
PCS		6941640146618

Line spool

ALS25405

€ 15.50

Line diameter: 2.5mm
Line length: 4m
Suitable for GBC5434411,G-BC5434421,GBC5524411,G-BC5524421,GBC5624421,G-BC5624421,GMT55231 gasoline grass trimmer
Packed by double blister



Unit	Qty/Pack	Barcode
PCS	25	6941640145437

Brush cutter blade

ABCB05

€ 10.00

Blade diameter: 255mm(10")
Blade teeth: three
Suitable for GBC5434411,G-BC5434421,GBC5524411,G-BC5524421,GBC5624421,G-BC5624421,GMT55231 gasoline grass trimmer
Packed by double blister



Unit	Qty/Pack	Barcode
PCS		6941640138576

Gasoline lawn mower

GLM141181

€ 365.00

Zongshen brand engine(The best one in China)
Displacement: 141cc
4 stroke engine
Rated power: 3.0Kw(4HP)
Rated speed: 2600rpm
Cutting width:460mm(18")
Cutting height:25-70mm(7 positions)
Drive type:Hand push
Catchervolume: 60L
Deck material: steel
Wheel size: 6"/8"
Torque:6.5Nm
Packed by carton box



Unit	Qty/Pack	Barcode
PCS		6925582114652

Vacuum cleaner

VC14122E

€ 75.00

Voltage: 220V-240V~50/60Hz
Input power: 800W
Copper wire motor
Metal tank
Dust capacity:12L
Air flow:1.7m3/min
Vacuum pressure:16KPa
1.5m flexible hose
Plastic three parts tube
1pcs plastic floor brush
1set 2 in 1 brush
2.3m cord length
HEPA filter
Wet and dry cleaning
Packed by carton box



Unit	Qty/Pack	Barcode
PCS		8887915001009

Vacuum cleaner

VC14301

€ 145.00

Voltage: 220V-240V~50/60Hz
Input power: 1400W
Air flow:1.9CBM/Min
Vacuum pressure:16-18KPa
Dust capacity:30L
1pcs flexible hose
1pcs floor brush
1set plastic tube
1pcs HEPA filter
Tank material:stainless steel
Power cable:1.8m
With power tools socket
Wet and dry cleaning
Packed by carton box



Unit	Qty/Pack	Barcode
PCS		6928073606834

Air-inlet HEPA

VCAIHP02

€ 5.00

Suitable for VC14122 UVC14122
VC14301 UVC14301 Vacuum cleaner
Filter level:F8
Packed by plastic bag



Unit	Qty/Pack	Barcode
PCS		6925582123227

High pressure washer

HPWR14008

€ 105.00

Voltage: 220-240V~50/60Hz
Carbon brush motor
Pure copper wire
Input power: 1400W
Max Pressure: 130Bar (1900PSI)
Flow rate: 5.5L/min
Auto stop system
Include:
1 Set water spray gun
1 Pcs 5m high pressure hose
1 Pcs water inlet screw
Packed by color box



Unit	Qty/Pack	Barcode
PCS		6925582123845

High pressure washer

HPWR16008

€ 125.00

Voltage: 220-240V~50/60Hz
Carbon brush motor
Pure copper wire
Input power: 1600W
Max Pressure: 140Bar (2030PSI)
Flow rate: 5.5L/min
Auto stop system
Include:
1 Set water spray gun (AMSG028)
1 Pcs 5m super flexible high pressure hose
1 Pcs water inlet screw
Packed by color box

1600W
140Bar
5.5L/min
Carbon
Brush Motor



Unit	Qty/Pack	Barcode
PCS		6942141805776

High pressure washer

HPWR20018

€ 169.00

Voltage: 220-240V~50/60Hz
Carbon brush motor
Pure copper wire
Input power: 2000W
Max Pressure: 160Bar (2320PSI)
Flow rate: 6.0L/min
Auto stop system
Include:
1 Set water spray gun (AMSG028)
1 Pcs 5m super flexible high pressure hose
1 Pcs water inlet screw
1 Pcs soap bottle
Packed by color box

2000W
160Bar
6L/min
Carbon
Brush Motor



Unit	Qty/Pack	Barcode
PCS		6942141803901

High pressure washer

HPWR25008

€ 300.00

Voltage:220-240V~50Hz
Copper wire induction motor
Input power:2500W
Max Pressure:160Bar (2300PSI)
Flow rate:6.7L/min
Auto stop system
1pcs soap bottle
1 set water spray gun (AMSG028)
5m high pressure hose (AHPH5028)
Packed by color box

2500W
160Bar
6.7L/min
Induction Motor



Unit	Qty/Pack	Barcode
PCS		6925582124545

Spray gun(Quick connector)

AMSG028

€ 25.00

Material:Plastic body
Quick connector
HPWR14008/UHPWR14008/HP-
WR16008/UHPWR16008/HP-
WR18008/UHP-
WR18008/HPWR20018/UHPWR20018/
HPWR20008/HPWR25008/UHPWR25008
Packed by color box

46CM



Unit	Qty/Pack	Barcode
SET		6925582126280

Wheel brush

AMWB1781

€ 10.00

length: 390mm
For cleaning vehicle wheel
Suitable for HPWR14008/UHP-
WR14008/HPWR16008/UHP-
WR16008/HPWR18008/UHP-
WR18008/HPWR20018/UHPWR20018/
HPWR20008/HPWR25008/UHPWR25008
Packed by paper card

390mm



Suitable for INGCO
High Pressure Washer

Unit	Qty/Pack	Barcode
PCS		6925582149562

45° Angle nozzle

AMAN4501

€ 10.00

length:590mm
45° Angle
Suitable for HPWR14008/UHP-
WR14008/HPWR16008/UHP-
WR16008/HPWR18008/UHP-
WR18008/HPWR20018/UHPWR20018/
HPWR20008/HPWR25008/UHPWR25008
Packed by paper card

590mm



Unit	Qty/Pack	Barcode
PCS		6925582149531

Foam producer

AMFP4002

€ 10.00

Capacity:400mL
With adjustable function
Demension:125*85*196mm
Suitable for HPWR14008/UHP-
WR14008/HPWR16008/UHP-
WR16008/HPWR18008/UHP-
WR18008/HPWR20018/UHPWR20018/
HPWR20008/HPWR25008/UHPWR25008
Packed by paper hanger

400ml



Unit	Qty/Pack	Barcode
PCS		6925582138559

High pressure hose(Quick connector)

AHPH5028

€ 17.00

Length:5 Meters
Material:PVC
Quick connector
Suitable for HPWR14008/UHP-
WR14008/HPWR16008/UHP-
WR16008/HPWR18008/UHP-
WR18008/HPWR20018/UHPWR20018/
HPWR20008
Packed by color box

5M



Unit	Qty/Pack	Barcode
PCS		6925582126273

Pipe cleaning hose

AHPH7511

€ 25.00

7.5M

Length: 7.5m
Max pressure: 150bar(2175psi)
With spring head
Suitable for HPWR14008/UHP-
WR14008/HPWR16008/UHP-
WR16008/HPWR18008/UHP-
WR18008/HPWR20018/UHPWR20018/
HPWR20008/HPWR25008/UHPWR250
08
Packed by color box



Unit	Qty/Pack	Barcode
PCS		6941640164636

Folding bucket

AMFB15

€ 18.00

15L

Product specification: 15L/250*320mm
Material: metal handle /EVA non-slip
handle
1200D Oxford /PVC waterproof coating
Temperature range: 0 C to 65 C
Packed by Label



Unit	Qty/Pack	Barcode
PCS		6941640177896

Gasoline pressure washer

GHPW2003E

€ 435.00

**208cc
6.0HP**



Displacement: 208cc
Max output: 6.0HP
Engine speed :3600rpm
Max. pressure: 214Bar(3100psi)
Flow rate: 8.7L/min(2.3GPM)
Engine type: OHV 4-stroke
Pump type: 3-piston axial cam
pump-aluminum
Starting System: recoil
Fuel volume: 3.6L
Oil volume: 0.6L
Fuel Type: Unleaded Gasoline
Include:
1 Set metal water spray gun
1 Pcs 7.6m high pressure hose
1 Set 3 types of nozzles
Packed by carton box



Unit	Qty/Pack	Barcode
PCS		6941640173843

Gasoline plate compactor

GCP060-2E

€ 600.00

60KGS

Engine
INGCO 6.5HP

← Forward

Gasoline engine
Engine power:4.8kW(6.5HP)
Weight:60kg
Frequency:5600VPM
Centrifugal force:10.5kN
Compaction depth:20cm
Travel speed:40cm/s
Efficiency:450 m²/Hr
Plate size:50x36cm
Packed by carton box



Unit	Qty/Pack	Barcode
PCS		6941640137296

Gasoline plate compactor

GCP100-2E

€ 680.00

90KGS

Engine
INGCO 6.5HP

← Forward

Gasoline engine
Engine power:4.8kW(6.5HP)
Weight:90kg
Frequency:4200VPM
Centrifugal force:15kN
Compaction depth:30cm
Travel speed:45cm/s
Efficiency:660 m²/Hr
Plate size:56x44cm
Packed by carton box



Unit	Qty/Pack	Barcode
PCS		6941640130761

Gasoline reversible plate compactor

GCP125-2E

€ 1,335.00

127KGS

Engine
INGCO 6.5HP

Forward
Backward

Gasoline engine
Engine power:4.8kW(6.5HP)
Weight:127kg
Frequency:4300VPM
Centrifugal force:25kN
Compaction depth:30cm
Travel speed:25cm/s
Efficiency:500 m²/Hr
Plate size:63x40cm
Packed by wooden case



Unit	Qty/Pack	Barcode
PCS		6941640142412

Gasoline tamping rammer

GRT75-2E

€ 1,195.00

79KGS

Engine
INGCO

Gasoline engine
Engine power:4.8kW(6.5HP)
Weight:79kg
Impact force:10kN
Impact rate:450-660rpm
Jumping stroke:65mm
Shoe size:33X29cm
Fuel tank volume:2.0L
Packed by carton box



Unit	Qty/Pack	Barcode
PCS		6925582150032

Gasoline power trowel

GPT361-2E

€ 890.00

36" (910mm)

Engine
INGCO 6.5HP
78KGS

Gasoline engine
Engine power:4.8kW(6.5HP)
Weight:78kg
Rotor diameter:91cm(36")
Blade number:Four
Finish blade:35X15cm(6X14")
Blade included
With iron pan
Packed by carton box



Unit	Qty/Pack	Barcode
PCS		6925582145830